

Test Report

No.: XMHL1910006013IP

Date: Dec. 27, 2019

Page 1 of 26

BAOJIAWANG CHILDREN' PRODUCTS CO.,LTD

NO.58, XIAHUANG ROAD, TONG'AN CHENGNAN INDUSTRIAL DISTRICT, XIAMEN CITY, FUJIAN
PROVINCE, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	: BATHTUB
Style / Item No.	: B-220C
Sample Receiving Date	: Oct. 11, 2019
Test Performing Date	: Oct. 11, 2019 to Dec. 24, 2019
Test Performed	: Selected test(s) as requested by applicant
Test Result(s)	: For further details, please refer to the following page(s)

Signed for and on behalf of
Xiamen Branch, SGS-CSTC Co., Ltd.

Beck

Beck Hong
Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Inspection & Testing Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Part 1: SGS Ref. No. is GZHL1910041872IP

Test Requested	Result
ASTM F2388-18	PASS
CPSC 16 CFR Part 1235	PASS
ASTM F2670-18	PASS
CPSC 16 CFR Part 1234	PASS

1. Test Conducted: Based on ASTM F2388-18 Standard Consumer Safety Specification for Baby Changing Tables for Domestic Use.
Number of Tested Sample: 1 piece
Test Results: Details shown as following table

Section	Test Item	Result
5	General Requirements	
5.1	Sharp points and edges	PASS
5.2	Small parts	PASS
5.3	Surface coatings	PASS
5.4	Wood parts	NA
5.5	Openings	PASS
5.6	A changing table accessory, when attached in the manufacturer's recommended use position to a full-size crib or non-full-size crib/play yard, shall conform to the requirements of this specification and the applicable requirements of Consumer Safety Specification F1169 or F406, respectively.	NA
5.7	Toys	NA
5.8	Threaded fasteners	PASS
5.9	Protective components	NA
5.10	Product must comply with the applicable requirements of the Consumer Product Safety Improvement Act.	
	CPSIA section 101(f) - Lead in paint/similar surface coating material	PASS
	CPSIA section 101(a)(2) - Lead in accessible substrate materials	PASS
	CPSIA 103 Tracking labels for children's products	PASS
	CPSC 16 CFR Part 1130 Requirements for Consumer Registration of Durable Infant or Toddler Products	PASS
	Consumer Product Safety Commission - 16 CFR Part 1307, Final Rule, amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	PASS
5.11	Scissoring, Shearing, and Pinching	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Xiamen Branch Testing Center
Xiamen Branch Testing Center Headlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Section	Test Item	Result
5.12	If the changing product can be converted into another product for which a consumer safety specification exists, the product shall comply with the applicable requirements of that standard when in that use mode.	NA
6	Performance requirements	
6.1	Structural integrity	PASS
6.2	Stability	PASS
6.3	Barriers	
6.3.1	Each changing product shall include barriers as an integral part of the product.	PASS
6.3.2	For changing products with a flat changing surface, barriers shall be provided around all sides of the changing surface.	NA
6.3.3	Contoured changing pads shall have barriers on the two opposing long sides.	PASS
6.3.4	When tested in accordance with 7.4, barriers shall prevent the test cylinder from falling from the changing surface and shall not break or fail to conform with the requirements of Section 5.	PASS
6.4	Retention of Contoured Changing Pads and Add-on Changing Units	NA
6.5	Entrapment in enclosed openings	PASS
6.6	Entrapment by shelves	NA
6.7	Self-folding Steps	NA
6.8	Restraint system	NA
7	Test methods	---
8	Permanency of labels and warnings	PASS
9	Marking and labeling	
9.1	Each product and its retail package shall be marked or labeled clearly and legibly to indicate the following: 9.1.1 The name, place of business (city, state, and mailing address, including zip code), and telephone number of the manufacturer, distributor, or seller. 9.1.2 A code mark or other means that identifies the date (month and year as a minimum) of manufacture. 9.1.3 The retail package must indicate the manufacturer's recommended maximum weight of the occupant for which the product is intended.	PASS
9.2	The marking and labeling on the product shall be permanent	PASS
9.3	Any upholstery label required by law shall not be used to meet the requirements in 9.1.	PASS
9.4	Warning Design for Product	
9.4.1	The warnings shall be easy to read and understand and be in the English language at a minimum.	PASS
9.4.2	Any marking or labeling provided in addition to those required by this section shall not contradict or confuse the meaning of the required information, or be otherwise misleading to the consumer.	PASS
9.4.3	The warnings shall be conspicuous and permanent.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Section	Test Item	Result
9.4.4	The warnings shall conform to ANSI Z535.4 – 2011, American National Standard for Product Safety Signs and Labels, sections 6.1 – 6.4, 7.2 – 7.6.3 and 8.1, with the following changes. 9.4.4.1 In sections 6.2.2, 7.3, 7.5, and 8.1.2, replace “should” with “shall.” 9.4.4.2 In section 7.6.3, replace “should (when feasible)” with “shall.” 9.4.4.3 Strike the word “safety” when used immediately before a color (for example, replace “safety white” with “white”).	PASS
9.4.5	The safety alert symbol “▲” and the signal word “WARNING” shall be at least 0.2 in. (5 mm) high. The remainder of the text shall be in characters whose upper case shall be at least 0.1 in. (2.5 mm) high.	PASS
9.4.6	Message Panel Text Layout	PASS
9.4.7	Example warning labels for various changing products and in the format described in this section are shown in Figs.12-16.	---
9.5	Warning Statements—Each product shall have warning statements to address the following at a minimum:	
9.5.1	Warning addressing fall hazards Fall Hazard Children have suffered serious injuries after falling from changing [tables/pads/areas]. Falls can happen quickly. • STAY within arm’s reach.	PASS
9.5.2	Products that are intended for the consumer to physically attach to the support surface or frame shall include an additional warning statement under Fall Hazard: • ALWAYS secure this [unit/pad] to the support [surface/frame] by (manufacturer’s instructions for securing the changing unit/pad). See instructions.	NA
9.5.3	Changing table accessories and contoured changing pads shall include the following additional warning statements: Suffocation Hazard Babies have suffocated while sleeping [in/on] changing [tables/pads/areas]: changing [table/pad/area] is not designed for safe sleep. • NEVER allow baby to sleep [in/on] changing [table/pad/area].	PASS
9.5.4	For changing products sold separately from a changing table and designed to be attached to furniture, the warning in either 9.5.4.2 or 9.5.4.3 shall be addressed and be visible on the product during assembly. The warning shall also either be visible on the product through the retail package or shall be located on the retail package.	NA
10	Instructional literature	
10.1	Instructions shall be provided with the product, shall be easy to read and understand, and shall be in the English language at a minimum. These instructions shall include information regarding assembly, maintenance, cleaning, and use, where applicable.	PASS
10.2	The instructions shall include all warnings specified in 9.5.	PASS
10.3	The instructions shall address the following additional warnings.	PASS
10.4	The warnings in the instructions shall meet the requirements specified in 9.4.4, 9.4.5, and 9.4.6 with the following two exceptions: (1) the background of the signal word panel need not be in color and (2) clause 6.4 on ANSI Z535.4 need not be applied. An example warning in the format described in this section is shown in Fig. 17. The warning statements’ wording content, as well as the use of underlining capital lettering, italics, or bold typeface, or a combination thereof, are at the discretion of the manufacturer.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Remarks:

1. NA = Not Applicable.
2. NT = Not Tested as per applicant's request.

2. Test Conducted: Based on CPSC 16 CFR PART 1235—SAFETY STANDARD FOR BABY CHANGING PRODUCTS

Number of Tested Sample: 1 piece

Test Results: Details shown as following table

Section	Test Item	Result
5	General Requirements	
5.1	Sharp points and edges	PASS
5.2	Small parts	PASS
5.3	Surface coatings	PASS
5.4	Wood parts	NA
5.5	Openings	PASS
5.6	A changing table accessory, when attached in the manufacturer's recommended use position to a full-size crib or non-full-size crib/play yard, shall conform to the requirements of this specification and the applicable requirements of Consumer Safety Specification F1169 or F406, respectively.	NA
5.7	Toys	NA
5.8	Threaded fasteners	PASS
5.9	Protective components	NA
5.10	Product must comply with the applicable requirements of the Consumer Product Safety Improvement Act.	
	CPSIA section 101(f) - Lead in paint/similar surface coating material	PASS
	CPSIA section 101(a)(2) - Lead in accessible substrate materials	PASS
	CPSIA 103 Tracking labels for children's products	PASS
	CPSC 16 CFR Part 1130 Requirements for Consumer Registration of Durable Infant or Toddler Products	PASS
	Consumer Product Safety Commission - 16 CFR Part 1307, Final Rule, amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	PASS
5.11	Scissoring, Shearing, and Pinching	PASS
5.12	If the changing product can be converted into another product for which a consumer safety specification exists, the product shall comply with the applicable requirements of that standard when in that use mode.	NA
6	Performance requirements	
6.1	Structural integrity	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Xiamen Branch
Xiamen Branch Inspection and Testing Services

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e.sgs.china@sgs.com

Section	Test Item	Result
6.2	Stability	PASS
6.3	Barriers	
6.3.1	Each changing product shall include barriers as an integral part of the product.	PASS
6.3.2	For changing products with a flat changing surface, barriers shall be provided around all sides of the changing surface.	NA
6.3.3	Contoured changing pads shall have barriers on the two opposing long sides.	PASS
6.3.4	When tested in accordance with 7.4, barriers shall prevent the test cylinder from falling from the changing surface and shall not break or fail to conform with the requirements of Section 5.	PASS
6.4	Retention of Contoured Changing Pads and Add-on Changing Units	NA
6.5	Entrapment in enclosed openings	PASS
6.6	Entrapment by shelves	NA
6.7	Self-folding Steps	NA
6.8	Restraint system	NA
7	Test methods	---
8	Permanency of labels and warnings	PASS
9	Marking and labeling	
9.1	Each product and its retail package shall be marked or labeled clearly and legibly to indicate the following: 9.1.1 The name, place of business (city, state, and mailing address, including zip code), and telephone number of the manufacturer, distributor, or seller. 9.1.2 A code mark or other means that identifies the date (month and year as a minimum) of manufacture. 9.1.3 The retail package must indicate the manufacturer's recommended maximum weight of the occupant for which the product is intended.	PASS
9.2	The marking and labeling on the product shall be permanent	PASS
9.3	Any upholstery label required by law shall not be used to meet the requirements in 9.1.	PASS
9.4	Warning Design for Product	
9.4.1	The warnings shall be easy to read and understand and be in the English language at a minimum.	PASS
9.4.2	Any marking or labeling provided in addition to those required by this section shall not contradict or confuse the meaning of the required information, or be otherwise misleading to the consumer.	PASS
9.4.3	The warnings shall be conspicuous and permanent.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Section	Test Item	Result
9.4.4	The warnings shall conform to ANSI Z535.4 – 2011, American National Standard for Product Safety Signs and Labels, sections 6.1 – 6.4, 7.2 – 7.6.3 and 8.1, with the following changes. 9.4.4.1 In sections 6.2.2, 7.3, 7.5, and 8.1.2, replace “should” with “shall.” 9.4.4.2 In section 7.6.3, replace “should (when feasible)” with “shall.” 9.4.4.3 Strike the word “safety” when used immediately before a color (for example, replace “safety white” with “white”).	PASS
9.4.5	The safety alert symbol “▲” and the signal word “WARNING” shall be at least 0.2 in. (5 mm) high. The remainder of the text shall be in characters whose upper case shall be at least 0.1 in. (2.5 mm) high.	PASS
9.4.6	Message Panel Text Layout	PASS
9.4.7	Example warning labels for various changing products and in the format described in this section are shown in Figs.12-16.	---
9.5	Warning Statements—Each product shall have warning statements to address the following at a minimum:	
9.5.1	Warning addressing fall hazards Fall Hazard Children have suffered serious injuries after falling from changing [tables/pads/areas]. Falls can happen quickly. • STAY within arm’s reach.	PASS
9.5.2	Products that are intended for the consumer to physically attach to the support surface or frame shall include an additional warning statement under Fall Hazard: • ALWAYS secure this [unit/pad] to the support [surface/frame] by (manufacturer’s instructions for securing the changing unit/pad). See instructions.	NA
9.5.3	Changing table accessories and contoured changing pads shall include the following additional warning statements: Suffocation Hazard Babies have suffocated while sleeping [in/on] changing [tables/pads/areas]: changing [table/pad/area] is not designed for safe sleep. • NEVER allow baby to sleep [in/on] changing [table/pad/area].	PASS
9.5.4	For changing products sold separately from a changing table and designed to be attached to furniture, the warning in either 9.5.4.2 or 9.5.4.3 shall be addressed and be visible on the product during assembly. The warning shall also either be visible on the product through the retail package or shall be located on the retail package.	NA
10	Instructional literature	
10.1	Instructions shall be provided with the product, shall be easy to read and understand, and shall be in the English language at a minimum. These instructions shall include information regarding assembly, maintenance, cleaning, and use, where applicable.	PASS
10.2	The instructions shall include all warnings specified in 9.5.	PASS
10.3	The instructions shall address the following additional warnings.	PASS
10.4	The warnings in the instructions shall meet the requirements specified in 9.4.4, 9.4.5, and 9.4.6 with the following two exceptions: (1) the background of the signal word panel need not be in color and (2) clause 6.4 on ANSI Z535.4 need not be applied. An example warning in the format described in this section is shown in Fig. 17. The warning statements’ wording content, as well as the use of underlining capital lettering, italics, or bold typeface, or a combination thereof, are at the discretion of the manufacturer.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Xiamen Branch Testing Center Hardlines
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Remarks:

1. NA = Not Applicable.
2. NT = Not Tested as per applicant's request.
3. Only carried out the test on sample A as per the client's requirement.



SGS-CSTC Standards Technical Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Sample photo(s):



Sample A as received



Sample A as received



Sample B as received

/



SGS-CSTC Xiamen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

3.Test Conducted: Based on **ASTM F 2670-18 Standard Consumer Safety Specification for Infant Bath Tubs.**

Number of Tested Sample: __1__ piece(s)

Test Results: Details shown as following table

Clause	Test Item	Result
5	General requirements	
5.1	Hazardous Sharp Edges or Points	PASS
5.2	Small Parts	PASS
5.3	Lead in Paints	PASS
5.4	Resistance to Collapse	PASS
5.5	Scissoring, Shearing, and Pinching	PASS
5.6	Openings	PASS
5.7	Protective Components	NA
5.8	Requirements for Toys	NA
5.9	Labeling	PASS
5.10	Compliance of Multi-use Products	NA
5.11	Infant bath tubs and infant tubs accessories must comply with the applicable requirements of the consumer Product Safety Improvement Act	
	CPSIA section 101(f) - Lead in paint/similar surface coating material	PASS
	CPSIA section 101(a)(2) - Lead in accessible substrate materials	PASS
	CPSIA 103 Tracking labels for children's products	PASS
	CPSC 16 CFR Part 1130 Requirements for Consumer Registration of Durable Infant or Toddler Products	PASS
	Consumer Product Safety Commission - 16 CFR Part 1307, Final Rule, amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	PASS
6	Performance requirements	
6.1	Restraint System	PASS
6.2	Static Load	PASS
6.3	Specific Requirements for Suction Cups	NA
6.4	Structural Integrity/Attachment of Infant Bath Tub Accessories	NA
8	Marking and labeling	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Inspection & Testing Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

8.1	Each product and its retail package shall be marked or labeled clearly and legibly to indicate the following: 8.1.1 The name, place of business (city, state, and mailing address, including zip code), and telephone number of the manufacturer, distributor, or seller. 8.1.2 A code mark or other means that identifies the date (month and year at a minimum) of manufacture.	PASS
8.2	The marking and labeling on the product shall be permanent.	PASS
8.3	Any upholstery labeling required by law shall not be used to meet the requirements of this section.	PASS
8.4	Warning Design for Product:	
8.4.1	The warnings shall be easy to read and understand and be in the English language at a minimum.	PASS
8.4.2	Any marking or labeling provided in addition to those required by this section shall not contradict or confuse the meaning of the required information, or be otherwise misleading to the consumer.	PASS
8.4.3	The warnings shall be conspicuous and permanent.	PASS
8.4.4	The warnings shall conform to ANSI Z535.4-2011, sections 6.1 – 6.4, 7.2 – 7.6.3, and 8.1, with the following changes. 8.4.4.1 In sections 6.2.2, 7.3, 7.5, and 8.1.2, replace “should” with “shall.” 8.4.4.2 In section 7.6.3, replace “should (when feasible)” with “shall.” 8.4.4.3 Strike the word “safety” when used immediately before a color (for example, replace “safety white” with “white”).	PASS
8.4.5	The safety alert symbol “  ” and the signal word “ WARNING ” shall be at least 0.2 in. (5 mm) high and in bold capital letters. The remainder of the text shall be in characters whose upper case shall be at least 0.1 in. (2.5 mm) high, except where otherwise specified. NOTE 2—For improved warning readability, typefaces with large height-to-width ratios, which are commonly identified as “condensed,” “compressed,” “narrow,” or similar should be avoided.	PASS
8.4.6	Message Panel Text Layout:	
8.4.6.1	The text shall be left aligned, ragged right for all but one-line text messages, which can be left aligned or centered. NOTE 3—Left aligned means that the text is aligned along the left margin, and in the case of multiple columns of text, along the left side of each individual column. See Fig. X1.1 in X1.8 of the appendix for examples of left aligned text.	PASS
8.4.6.2	The text in each column should be arranged in list or outline format, with precautionary (hazard avoidance) statements preceded by bullet points. Multiple precautionary statements shall be separated by bullet points if paragraph formatting is used.	PASS
8.5	Each infant bath tub shall be marked or labeled with warnings as follows	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS CSTC (Shanghai) Technical Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

8.5.1	<p>Drowning Hazard Warnings—The following warning statement shall be addressed:</p> <ul style="list-style-type: none"> • Drowning Hazard: Babies have drowned while using infant bath tubs. <p>Additional warning statements shall address the following:</p> <ul style="list-style-type: none"> • Stay in arm's reach of your baby. • Use in empty adult tub or sink. • Keep drain open in adult tub or sink. <p>NOTE 4 —“Addressed” means that verbiage other than what is shown can be used as long as the meaning is the same or information that is product-specific is presented.</p>	PASS
8.5.2	<p>Fall Hazard Warnings—The following warning statement shall be addressed:</p> <ul style="list-style-type: none"> • Fall Hazard: Babies have suffered head injuries falling from infant bath tubs. <p>Additional warning statements shall address the following:</p> <ul style="list-style-type: none"> • Place tub only [insert manufacturer's intended location(s) for safe use (for example, in adult tub, sink, or on floor)]. • Never <u>lift</u> or <u>carry</u> baby in tub. <p>NOTE 5 —“Addressed” means that verbiage other than what is shown can be used as long as the meaning is the same or information that is product-specific is presented.</p>	PASS
8.5.2.1	The Fall Hazard warning may be displayed as a separate warning, in which case the warning shall comply with the format and text requirements in 8.4. The Fall Hazard warnings shall not be displayed above or prior to the Drowning Hazard warnings.	PASS
8.5.3	Infant bath tubs utilizing suction cups as an attachment mechanism to the support surface, and which are not intended by the manufacturer to be used on any type of slip-resistant surface, shall also include a warning to this effect. In addition, if there are other types of surfaces that the manufacturer does not intend the product be used on, then additional warning(s) shall be included to this effect. Such warning shall comply with the format and text requirements in 8.4 and shall be displayed as a separate warning OR shall be shown at the bottom of the combined warning for the drowning and fall hazards, without repeating the safety alert symbol and signal word.	NA
8.5.4	An example warning in the combined format described in this section is shown in Fig. 4. The warning statements' wording content, as well as the use of underlining, capital lettering, italics, or bold typeface, or a combination thereof, is at the discretion of the manufacturer.	--
8.6	Warnings on Infant Bath Tub Accessories	NA
8.7	Warning Design for Package	
8.7.1	The retail package of each infant bath tub and each infant bath tub accessory shall address the recommended age, weight, or developmental stage of the user.	PASS
8.7.2	Each infant bath tub's retail package shall be labeled on the principal display panel with the warnings required in 8.5 and as specified in 8.4.1, 8.4.2, 8.4.4, 8.4.5, and 8.4.6. The warnings and statements are not required on the retail package if they are on the product and visible in their entirety and are not concealed by the retail package. Cartons and other materials used exclusively for shipping the product are not considered retail packaging.	PASS
8.8	Warnings, statements, or graphic pictorials on the product and package shall not indicate or imply that the infant may be left in the product without an adult caregiver in attendance.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

8.9	Warning Design for Package for Infant Bath Tub Accessory Sold Separately	NA
9	Instructional Literature	
9.1	All Infant Bath Tubs and Infant Bath Accessories	PASS
9.2	Warning Statements in Instructional Literature for Infant Bath Tubs	
9.2.1	The instructions shall include the warnings required in 8.5. However, the phrase "To prevent drowning" shall be added before the warning statements in 8.5.1 and the phrase "To prevent falls" shall be added before the warning statements in 8.5.2.	PASS
9.2.2	The instructions shall also address the following in the drowning hazard warnings: <ul style="list-style-type: none"> • Never rely on a toddler or preschooler to help your baby or alert you to trouble. Babies have drowned even with other children in or near bath tub. • Babies can drown in as little as 1 in. of water. Use <u>as little water as possible</u> to bathe your baby. 	PASS
9.2.3	The warnings in the instructions shall meet the requirements specified in 8.4.4, 8.4.5, and 8.4.6 except that 6.4 and 7.2 – 7.6.3 of ANSI Z535.4 need not be applied. However, the signal word and safety alert symbol shall contrast with the background of the signal word panel, and the warnings shall contrast with the background of the instructional literature. NOTE 7—For example, the signal word, safety alert symbol, and the warnings may be black letters on a white background, white letters on a black background, navy blue letters on an off-white background, or some other high-contrast combination.	PASS
9.2.4	An example warning that meets the requirements is shown in Fig. 6. The warning statements' wording content, as well as the use of underlining, capital lettering, italics, or bold typeface, or a combination thereof, is at the discretion of the manufacturer.	--
9.3	Warning Statements in Instructional Literature for Infant Bath Tub Accessories—The instructions shall include the warnings specified in 8.6.2 and 8.6.3, and shall meet the format requirements specified in 8.4.4, 8.4.5, and 8.4.6 except that sections 6.4 and 7.2 – 7.6.3 of ANSI Z545.4 need not be applied. However, the signal word and safety alert symbol shall contrast with the background of the signal word panel, and the warnings shall contrast with the background of the instructional literature. NOTE 8—For example, the signal word, safety alert symbol, and the warnings may be black letters on a white background, white letters on a black background, navy blue letters on an off-white background, or some other high-contrast combination. NOTE 9—For additional guidance on the design of warnings for instructional literature, please refer to ANSI Z535.6, American National Standard: Product Safety Information in Product Manuals, Instructions, and Other Collateral Materials.	NA

Remarks:

1. NA = Not Applicable.
2. NT = Not Tested as per applicant's request.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

4. Test Conducted: Based on **CPSC 16 CFR Part 1234 —Safety Standard For Infant Bath Tubs.**
Number of Tested Sample: __1__ piece(s)

Test Results: Details shown as following table

Clause	Test Item	Result
5	General requirements	
5.1	Hazardous Sharp Edges or Points	PASS
5.2	Small Parts	PASS
5.3	Lead in Paints	PASS
5.4	Resistance to Collapse	PASS
5.5	Scissoring, Shearing, and Pinching	PASS
5.6	Openings	PASS
5.7	Protective Components	NA
5.8	Requirements for Toys	NA
5.9	Labeling	PASS
5.10	Compliance of Multi-use Products	NA
5.11	Infant bath tubs and infant tubs accessories must comply with the applicable requirements of the consumer Product Safety Improvement Act	
	CPSIA section 101(f) - Lead in paint/similar surface coating material	PASS
	CPSIA section 101(a)(2) - Lead in accessible substrate materials	PASS
	CPSIA 103 Tracking labels for children's products	PASS
	CPSC 16 CFR Part 1130 Requirements for Consumer Registration of Durable Infant or Toddler Products	PASS
	Consumer Product Safety Commission - 16 CFR Part 1307, Final Rule, amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	PASS
6	Performance requirements	
6.1	Restraint System	NA
6.2	Static Load	PASS
6.3	Specific Requirements for Suction Cups	NA
6.4	Structural Integrity/Attachment of Infant Bath Tub Accessories	NA
8	Marking and labeling	
8.1	Each product and its retail package shall be marked or labeled clearly and legibly to indicate the following: 8.1.1 The name, place of business (city, state, and mailing address, including zip code), and telephone number of the manufacturer, distributor, or seller. 8.1.2 A code mark or other means that identifies the date (month and year at a minimum) of manufacture.	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

8.2	The marking and labeling on the product shall be permanent.	PASS
8.3	Any upholstery labeling required by law shall not be used to meet the requirements of this section.	PASS
8.4	Warning Design for Product:	
8.4.1	The warnings shall be easy to read and understand and be in the English language at a minimum.	PASS
8.4.2	Any marking or labeling provided in addition to those required by this section shall not contradict or confuse the meaning of the required information, or be otherwise misleading to the consumer.	PASS
8.4.3	The warnings shall be conspicuous and permanent.	PASS
8.4.4	The warnings shall conform to ANSI Z535.4–2011, sections 6.1 – 6.4, 7.2 – 7.6.3, and 8.1, with the following changes. 8.4.4.1 In sections 6.2.2, 7.3, 7.5, and 8.1.2, replace “should” with “shall.” 8.4.4.2 In section 7.6.3, replace “should (when feasible)” with “shall.” 8.4.4.3 Strike the word “safety” when used immediately before a color (for example, replace “safety white” with “white”).	PASS
8.4.5	The safety alert symbol “  ” and the signal word “ WARNING ” shall be at least 0.2 in. (5 mm) high and in bold capital letters. The remainder of the text shall be in characters whose upper case shall be at least 0.1 in. (2.5 mm) high, except where otherwise specified. NOTE 2—For improved warning readability, typefaces with large height-to-width ratios, which are commonly identified as “condensed,” “compressed,” “narrow,” or similar should be avoided.	PASS
8.4.6	Message Panel Text Layout:	
8.4.6.1	The text shall be left aligned, ragged right for all but one-line text messages, which can be left aligned or centered. NOTE 3—Left aligned means that the text is aligned along the left margin, and in the case of multiple columns of text, along the left side of each individual column. See Fig. X1.1 in X1.8 of the appendix for examples of left aligned text.	PASS
8.4.6.2	The text in each column should be arranged in list or outline format, with precautionary (hazard avoidance) statements preceded by bullet points. Multiple precautionary statements shall be separated by bullet points if paragraph formatting is used.	PASS
8.5	Each infant bath tub shall be marked or labeled with warnings as follows	
8.5.1	Drowning Hazard Warnings—The following warning statement shall be addressed: • Drowning Hazard: Babies have drowned while using infant bath tubs. Additional warning statements shall address the following: • Stay in arm's reach of your baby. • Use in empty adult tub or sink. • Keep drain open in adult tub or sink. NOTE 4 —“Addressed” means that verbiage other than what is shown can be used as long as the meaning is the same or information that is product-specific is presented.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Technical Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

8.5.2	<p>Fall Hazard Warnings—The following warning statement shall be addressed:</p> <ul style="list-style-type: none"> • Fall Hazard: Babies have suffered head injuries falling from infant bath tubs. Additional warning statements shall address the following: • Place tub only [insert manufacturer's intended location(s) for safe use (for example, in adult tub, sink, or on floor)]. • Never lift or carry baby in tub. <p>NOTE 5 —“Addressed” means that verbiage other than what is shown can be used as long as the meaning is the same or information that is product-specific is presented.</p>	PASS
8.5.2.1	The Fall Hazard warning may be displayed as a separate warning, in which case the warning shall comply with the format and text requirements in 8.4. The Fall Hazard warnings shall not be displayed above or prior to the Drowning Hazard warnings.	PASS
8.5.3	Infant bath tubs utilizing suction cups as an attachment mechanism to the support surface, and which are not intended by the manufacturer to be used on any type of slip-resistant surface, shall also include a warning to this effect. In addition, if there are other types of surfaces that the manufacturer does not intend the product be used on, then additional warning(s) shall be included to this effect. Such warning shall comply with the format and text requirements in 8.4 and shall be displayed as a separate warning OR shall be shown at the bottom of the combined warning for the drowning and fall hazards, without repeating the safety alert symbol and signal word.	NA
8.5.4	An example warning in the combined format described in this section is shown in Fig. 4. The warning statements' wording content, as well as the use of underlining, capital lettering, italics, or bold typeface, or a combination thereof, is at the discretion of the manufacturer.	--
8.6	Warnings on Infant Bath Tub Accessories	NA
8.7	Warning Design for Package	
8.7.1	The retail package of each infant bath tub and each infant bath tub accessory shall address the recommended age, weight, or developmental stage of the user.	PASS
8.7.2	Each infant bath tub's retail package shall be labeled on the principal display panel with the warnings required in 8.5 and as specified in 8.4.1, 8.4.2, 8.4.4, 8.4.5, and 8.4.6. The warnings and statements are not required on the retail package if they are on the product and visible in their entirety and are not concealed by the retail package. Cartons and other materials used exclusively for shipping the product are not considered retail packaging.	PASS
8.8	Warnings, statements, or graphic pictorials on the product and package shall not indicate or imply that the infant may be left in the product without an adult caregiver in attendance.	PASS
8.9	Warning Design for Package for Infant Bath Tub Accessory Sold Separately	NA
9	Instructional Literature	
9.1	All Infant Bath Tubs and Infant Bath Accessories	PASS
9.2	Warning Statements in Instructional Literature for Infant Bath Tubs	
9.2.1	The instructions shall include the warnings required in 8.5. However, the phrase “To prevent drowning” shall be added before the warning statements in 8.5.1 and the phrase “To prevent falls” shall be added before the warning statements in 8.5.2.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

9.2.2	The instructions shall also address the following in the drowning hazard warnings: <ul style="list-style-type: none"> • Never rely on a toddler or preschooler to help your baby or alert you to trouble. Babies have drowned even with other children in or near bath tub. • Babies can drown in as little as 1 in. of water. Use <u>as little water as possible</u> to bathe your baby. 	PASS
9.2.3	The warnings in the instructions shall meet the requirements specified in 8.4.4, 8.4.5, and 8.4.6 except that 6.4 and 7.2 – 7.6.3 of ANSI Z535.4 need not be applied. However, the signal word and safety alert symbol shall contrast with the background of the signal word panel, and the warnings shall contrast with the background of the instructional literature. NOTE 7—For example, the signal word, safety alert symbol, and the warnings may be black letters on a white background, white letters on a black background, navy blue letters on an off-white background, or some other high-contrast combination.	PASS
9.2.4	An example warning that meets the requirements is shown in Fig. 6. The warning statements' wording content, as well as the use of underlining, capital lettering, italics, or bold typeface, or a combination thereof, is at the discretion of the manufacturer.	--
9.3	Warning Statements in Instructional Literature for Infant Bath Tub Accessories—The instructions shall include the warnings specified in 8.6.2 and 8.6.3, and shall meet the format requirements specified in 8.4.4, 8.4.5, and 8.4.6 except that sections 6.4 and 7.2 – 7.6.3 of ANSI Z545.4 need not be applied. However, the signal word and safety alert symbol shall contrast with the background of the signal word panel, and the warnings shall contrast with the background of the instructional literature. NOTE 8—For example, the signal word, safety alert symbol, and the warnings may be black letters on a white background, white letters on a black background, navy blue letters on an off-white background, or some other high-contrast combination. NOTE 9—For additional guidance on the design of warnings for instructional literature, please refer to ANSI Z535.6, American National Standard: Product Safety Information in Product Manuals, Instructions, and Other Collateral Materials.	NA

Remarks:

1. NA = Not Applicable.
2. NT = Not Tested as per applicant's request.
3. Only carried out the test on sample A as per the client's requirement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Sample photo(s):



Sample A as received



Sample A as received



Sample B as received

/

Part 2: SGS Ref. No. is CAN19-245172
Result Summary :

<u>Test Parameter</u>	<u>Conclusion</u>
CPSIA section 101(f) - Lead in paint/similar surface coating material	PASS
CPSIA section 101(a)(2) - Lead in accessible substrate materials	PASS
Consumer Product Safety Commission - 16 CFR Part 1307, Final Rule, amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	PASS

Remark:

1. Test results in this report are applicable for the item tested and reflects the tested sample as received.
2. As specified by client, selected parts of the submitted sample(s) for compliance with Public Law 110-314 (Consumer Product Safety Improvement Act of 2008, CPSIA).

Test Results :
Test Part Description :

SGS Sample ID	Description
CAN19-245172.001	White coating on metal(bracket)
CAN19-245172.002	White soft plastic with red, dull black & dark gray printing(cushion)
CAN19-245172.003	White soft plastic(stopper, on bathtub)
CAN19-245172.004	Transparent soft plastic(catheter, on plug)
CAN19-245172.005	White plastic(bathtub)
CAN19-245172.006	Slivery metal(snap button)
CAN19-245172.007	Light blue metal(washer, under cushion)
CAN19-245172.008	Slivery metal(rivet, on top bracket)

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

CPSIA section 101(f) - Lead in paint/similar surface coating material

Test Method : With reference to CPSC-CH-E1003-09.1, analysis was performed by ICP-OES.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Lead (Pb)	0.009	%(w/w)	0.002	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Comment

PASS

CPSIA section 101(a)(2) - Lead in accessible substrate materials (including Children's Metal Jewelry)

A.Test Method : With reference to CPSC-CH-E1002-08.3, analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	002
Lead (Pb)	0.01	%(w/w)	0.002	ND
Comment				PASS

Test Item(s)	Limit	Unit	MDL	003
Lead (Pb)	0.01	%(w/w)	0.002	ND
Comment				PASS

Test Item(s)	Limit	Unit	MDL	004
Lead (Pb)	0.01	%(w/w)	0.002	ND
Comment				PASS

Test Item(s)	Limit	Unit	MDL	005
Lead (Pb)	0.01	%(w/w)	0.002	ND
Comment				PASS

B.Test Method : With reference to CPSC-CH-E1001-08.3, analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	006
Lead (Pb)	0.01	%(w/w)	0.002	ND
Comment				PASS

Test Item(s)	Limit	Unit	MDL	007
Lead (Pb)	0.01	%(w/w)	0.002	ND
Comment				PASS

Test Item(s)	Limit	Unit	MDL	008
Lead (Pb)	0.01	%(w/w)	0.002	ND
Comment				PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Singapore) Technical Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Consumer Product Safety Commission 16 CFR Part 1307, Final Rule, amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Test Method : With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	Limit	Unit	MDL	001
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	%(w/w)	0.005	ND
Dibutyl Phthalate (DBP)	84-74-2	0.1	%(w/w)	0.005	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	%(w/w)	0.005	ND
Di(2-ethylhexyl)phthalate(DEHP)	117-81-7	0.1	%(w/w)	0.005	ND
Dihexyl Phthalates (DHEXP/ DnHP)	84-75-3	0.1	%(w/w)	0.005	ND
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	%(w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	0.1	%(w/w)	0.005	ND
Dipentyl Phthalates (DPENP/DnPP)	131-18-0	0.1	%(w/w)	0.005	ND
Comment					PASS

Test Item(s)	CAS NO.	Limit	Unit	MDL	002
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	%(w/w)	0.005	ND
Dibutyl Phthalate (DBP)	84-74-2	0.1	%(w/w)	0.005	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	%(w/w)	0.005	ND
Di(2-ethylhexyl)phthalate(DEHP)	117-81-7	0.1	%(w/w)	0.005	ND
Dihexyl Phthalates (DHEXP/ DnHP)	84-75-3	0.1	%(w/w)	0.005	ND
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	%(w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	0.1	%(w/w)	0.005	ND
Dipentyl Phthalates (DPENP/DnPP)	131-18-0	0.1	%(w/w)	0.005	ND
Comment					PASS

Test Item(s)	CAS NO.	Limit	Unit	MDL	003
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	%(w/w)	0.005	ND
Dibutyl Phthalate (DBP)	84-74-2	0.1	%(w/w)	0.005	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	%(w/w)	0.005	ND
Di(2-ethylhexyl)phthalate(DEHP)	117-81-7	0.1	%(w/w)	0.005	ND
Dihexyl Phthalates (DHEXP/ DnHP)	84-75-3	0.1	%(w/w)	0.005	ND
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	%(w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	0.1	%(w/w)	0.005	ND
Dipentyl Phthalates (DPENP/DnPP)	131-18-0	0.1	%(w/w)	0.005	ND
Comment					PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CTC (Shanghai) Technical Services Co., Ltd.
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Test Report

No.: XMHL1910006013IP

Date: Dec. 27, 2019

Page 22 of 26

Test Item(s)	CAS NO.	Limit	Unit	MDL	004
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	%(w/w)	0.005	ND
Dibutyl Phthalate (DBP)	84-74-2	0.1	%(w/w)	0.005	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	%(w/w)	0.005	ND
Di(2-ethylhexyl)phthalate(DEHP)	117-81-7	0.1	%(w/w)	0.005	ND
Diethyl Phthalates (DHEXP/ DnHP)	84-75-3	0.1	%(w/w)	0.005	ND
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	%(w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	0.1	%(w/w)	0.005	ND
Dipentyl Phthalates (DPENP/DnPP)	131-18-0	0.1	%(w/w)	0.005	ND

Comment

PASS

Sample photo(s):



Product Photo



Product Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgs.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Part 3: SGS Ref. No. is XMNHG1901877500.

Result Summary :

Test Parameter	Conclusion
CPSIA section 101(f) - Lead in paint/similar surface coating material	PASS
CPSIA section 101(a)(2) - Lead in accessible substrate materials	PASS
Consumer Product Safety Commission - 16 CFR Part 1307, Final Rule, amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	PASS

Remark:

1. Test results in this report are applicable for the item tested and reflects the tested sample as received.
2. As specified by client, selected parts of the submitted sample(s) for compliance with Public Law 110-314 (Consumer Product Safety Improvement Act of 2008, CPSIA).

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	XMN19-018775.001	Grey coating on metal
SN2	XMN19-018775.002	Grey plastic part
SN3	XMN19-018775.003	Grey soft material part
SN4	XMN19-018775.004	Transparent soft plastic part

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

CPSIA section 101(f) - Lead in paint/similar surface coating material

Test Method : With reference to CPSC-CH-E1003-09.1, analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	001
Lead (Pb)	0.009	% (w/w)	0.002	ND
Comment				PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

CPSIA section 101(a)(2) - Lead in accessible substrate materials (including Children's Metal Jewelry)

Test Method : With reference to CPSC-CH-E1002-08.3, analysis was performed by ICP-OES.

Test Item(s)	Limit	Unit	MDL	002	003	004
Lead (Pb)	0.01	% (w/w)	0.002	ND	ND	ND
Comment				PASS	PASS	PASS

CONSUMER PRODUCT SAFETY COMMISSION---16 CFR Part 1307,Final Rule, amending CPSIA section 108, Prohibition on Sale of Certain Products Containing Specified Phthalates

Test Method : With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	Limit	Unit	MDL	001
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	% (w/w)	0.005	ND
Dibutyl Phthalate (DBP)	84-74-2	0.1	% (w/w)	0.005	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	% (w/w)	0.005	ND
Di(2-ethylhexyl)phthalate (DEHP)	117-81-7	0.1	% (w/w)	0.005	ND
Dihexyl Phthalates (DHEXP/DnHP)	84-75-3	0.1	% (w/w)	0.005	ND
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	% (w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	0.1	% (w/w)	0.005	ND
Dipentyl Phthalates (DPENP/DnPP)	131-18-0	0.1	% (w/w)	0.005	ND
Comment					PASS

Test Item(s)	CAS NO.	Limit	Unit	MDL	003
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	% (w/w)	0.005	ND
Dibutyl Phthalate (DBP)	84-74-2	0.1	% (w/w)	0.005	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	% (w/w)	0.005	ND
Di(2-ethylhexyl)phthalate (DEHP)	117-81-7	0.1	% (w/w)	0.005	ND
Dihexyl Phthalates (DHEXP/DnHP)	84-75-3	0.1	% (w/w)	0.005	ND
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	% (w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	0.1	% (w/w)	0.005	ND
Dipentyl Phthalates (DPENP/DnPP)	131-18-0	0.1	% (w/w)	0.005	ND
Comment					PASS

Test Item(s)	CAS NO.	Limit	Unit	MDL	004
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	% (w/w)	0.005	ND
Dibutyl Phthalate (DBP)	84-74-2	0.1	% (w/w)	0.005	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services Co., Ltd.
Xiamen Branch Testing Center Headlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com

Test Report

No.: XMHL1910006013IP

Date: Dec. 27, 2019

Page 25 of 26

Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	% (w/w)	0.005	ND
Di(2-ethylhexyl)phthalate (DEHP)	117-81-7	0.1	% (w/w)	0.005	ND
Dihexyl Phthalates (DHEXP/DnHP)	84-75-3	0.1	% (w/w)	0.005	ND
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	% (w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	0.1	% (w/w)	0.005	ND
Dipentyl Phthalates (DPENP/DnPP)	131-18-0	0.1	% (w/w)	0.005	ND

Comment

PASS

Sample photo(s):



XMNHG1901877500

XMN19-018775.001



XMNHG1901877500

XMN19-018775.002



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC 检验检测专用章
Xiamen Branch Testing Center Hardlines

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com



XMNHG1901877500

XMN19-018775.003



XMNHG1901877500

XMN19-018775.004



XMNHG1901877500

The testing report/certificate only refers to the sample(s) tested.

End of Report